

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	50	("20050021639" "5535389" "5283856" "5555346" "5559802" "5627764" "5701484" "5790804" "5802253" "5950006" "4602246" "4970658" "5252951" "5265206" "5285821" "5288976" "5291546" "5291593" "5327559" "5337119" "5349296" "5365050" "5471404" "5481724" "5483637" "5488651" "5519764" "5528739" "5539877" "5583922" "5607097" "5610586" "5621663" "5630059" "5666534" "5706452" "5719555" "5734642" "5809492" "5809269" "5821928" "5822527" "5893911" "5899810" "5906656" "5943402" "5946647" "5964833" "6003073" "6018341").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/05 17:16

EAST Search History

S72	50	(US-20050021639-\$).did. or (US-5555346-\$ or US-5535389-\$ or US-5539877-\$ or US-5519764-\$ or US-5488651-\$ or US-5583922-\$ or US-6018341-\$ or US-6003073-\$ or US-5950006-\$ or US-5964833-\$ or US-5946647-\$ or US-5943402-\$ or US-5899810-\$ or US-5906656-\$ or US-5893911-\$ or US-5822527-\$ or US-5821928-\$ or US-5809492-\$ or US-5809269-\$ or US-5701484-\$ or US-5790804-\$ or US-5802253-\$ or US-5734642-\$ or US-5706452-\$ or US-5719555-\$ or US-5666534-\$).did. or (US-5630059-\$ or US-5627764-\$ or US-5621663-\$ or US-5610586-\$ or US-5607097-\$ or US-5559802-\$ or US-5528739-\$ or US-5337119-\$ or US-5327559-\$ or US-5291546-\$ or US-5291593-\$ or US-5288976-\$ or US-5285821-\$ or US-5283856-\$ or US-5265206-\$ or US-5252951-\$ or US-4970658-\$ or US-4602246-\$ or US-5481724-\$ or US-5471404-\$ or US-5483637-\$ or US-5365050-\$ or US-5349296-\$).did.	US-PGPUB; USPAT	OR	ON	2007/09/05 17:16
S73	50	S71 S72	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/05 17:17
S74	0	S72 not S71	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/05 17:18
S75	1931008	id or identifier or code	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/05 18:38
S76	2512750	respons\$4 or reply\$3 or answer\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/05 18:38

EAST Search History

S77	3200455	send\$3 transfer\$4 transmit\$4	US-PGPUB; OR USPAT; USOCR	ON	2007/09/05 18:39
S78	10474	message near3 action	US-PGPUB; OR USPAT; USOCR	ON	2007/09/05 18:39
S79	2248	S78 near5 S77	US-PGPUB; OR USPAT; USOCR	ON	2007/09/05 18:47
S80	12078	((action control\$3) near3 messag\$4) same S75	US-PGPUB; OR USPAT; USOCR	ON	2007/09/05 18:50
S81	16067	709/206,223-224.ccls	US-PGPUB; OR USPAT; USOCR	ON	2007/09/05 18:50
S82	423	S80 and S81	US-PGPUB; OR USPAT; USOCR	ON	2007/09/05 18:50
S83	1	(("6061734") or ("2002131561")).PN.	US-PGPUB; OR USPAT; USOCR	OFF	2007/09/05 19:08
S84	0	("2002131561").PN.	US-PGPUB; OR USPAT; USOCR	OFF	2007/09/05 19:21
S85	1	("6549612").PN.	US-PGPUB; OR USPAT; USOCR	OFF	2007/09/06 08:18
S86	194	text near3 message near3 action	US-PGPUB; OR USPAT; USOCR	ON	2007/09/06 08:18

EAST Search History

S87	79	("5572643" "5652789" "5675507" "5732216" "5867494" "5884262" "5946386").PN. OR ("6549612").URPN.	US-PGPUB; OR USPAT; USOCR	ON	2007/09/06 08:43
S88	1	("20020131561").PN.	US-PGPUB; OR USPAT; USOCR	OFF	2007/09/06 08:43
S89	135	subscriber near3 message near3 action	US-PGPUB; OR USPAT; USOCR	ON	2007/09/06 10:08
S90	1901	notification near2 message near4 (action service request)	US-PGPUB; OR USPAT; USOCR	ON	2007/09/06 10:53
S91	7	S89 and S90	US-PGPUB; OR USPAT; USOCR	ON	2007/09/06 11:39
S92	1	("5838252").PN.	US-PGPUB; OR USPAT; USOCR	OFF	2007/09/06 13:42
S93	1	("20030114174").PN.	US-PGPUB; OR USPAT; USOCR	OFF	2007/09/06 13:42


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide

actionable messaging

THE ACM DIGITAL LIBRARY
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: **actionable messaging**Found **55,944** of **209,709**

Sort results by relevance

 [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results expanded form

 [Search Tips](#)
[Try this search in The ACM Guide](#)
 [Open results in a new window](#)

Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

1 Email and security: Understanding email use: predicting action on a message

Laura A. Dabbish, Robert E. Kraut, Susan Fussell, Sara Kiesler

 April 2005 **Proceedings of the SIGCHI conference on Human factors in computing systems CHI '05**
Publisher: ACM Press
 Full text available: [pdf\(165.41 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Email consumes significant time and attention in the workplace. We conducted an organizational survey to understand how and why people attend to incoming email messages. We examined people's ratings of message importance and the actions they took on specific email messages, based on message characteristics and characteristics of receivers and senders. Respondents kept half of their new messages in the inbox and replied to about a third of them. They rated messages as important if they were about ...

Keywords: communication, computer-mediated, electronic mail, email, filtering, intelligent agents, messaging

2 A fair message exchange framework for distributed multi-player games

Katherine Guo, Sarit Mukherjee, Sampath Rangarajan, Sanjoy Paul

 May 2003 **Proceedings of the 2nd workshop on Network and system support for games NetGames '03**
Publisher: ACM Press
 Full text available: [pdf\(246.56 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper presents a framework for message delivery in real-time multi-player distributed interactive games that use the client-server model. Based on this framework, we propose message delivery algorithms that remove the unfair advantage that players with smaller message delays from the game server receive over players with large message delays from the server. The framework is very general in the sense that it does not require assumptions of synchronized clocks at the players and servers; nei ...

Keywords: distributed multi-player games, fairness, message delivery, reaction time

3
A system for the seamless integration of personal messages using agents developed on a lotus notes platform.

Web Images Video News Maps Gmail more ▾ [REDACTED] | My Account | Sign out



actionable messaging

Search Patents

Advanced Patent Search
Google Patent Search

Patents

Patents 1 - 10 on **actionable messaging**. (0.20 seconds)

IRC name translation protocol

US Pat. 6446112 - Filed Mar 17, 1999 - Sony International (Europe) GmbH

Such a network generally should offer the following services: **actionable messaging** between individuals, or for notification of events or special offers, ...

Method and system for wireless voice channel/data channel integration

US Pat. 7092370 - Filed Aug 16, 2001 - Roamware, Inc.

This **actionable** data is picked up by a fax listener 538, which is registered with the **messaging** platform to listen for fax actions. ...

Actionable communication reminders

US Pat. 7233229 - Filed Mar 1, 2005 - Microsoft Corporation

40 **Actionable** communication reminder display flow (510) is illustrated at the ... for text message, instant **messaging** address for instant message, etc.). ...

System and method for transformation and analysis of **messaging** data

US Pat. 7231403 - Filed Nov 15, 2002 - MessageOne, Inc.

It is desired to provide **actionable**, measurable information that is readily ... provide **actionable** results that are relevant and meaningful to the **messaging** ...

Instant **messaging** interface having a tear-off element

US Pat. 7127685 - Filed Oct 31, 2002 - America Online, Inc.

element may be provided for instant **messaging** (IM) applications or other ... the user identification, selection, and activation of the **actionable** items. ...

Mobile electronic device

US Pat. 7102620 - Filed Dec 24, 2002 - Sierra Wireless, Inc.

Typically, such person to person **messaging** is used to say hello or 10 prompt ... be conveniently accessed from a single point in the most **actionable** form. ...

Process for submitting and handling a service request in a local service ...

US Pat. 6813278 - Filed Nov 30, 1999 - Accenture LLP

Program Identify **actionable** plan for delivery of business Management expectations. ... In one embodiment, for example, the technical protocol for **messaging** ...

System and method for analyzing and utilizing data, by executing complex ...

US Pat. 6965886 - Filed Nov 1, 2001 - Actimize Ltd.

... according to user-defined rules, and delivering **actionable** messages of these ... for capturing external messages from a plurality of **messaging** systems. ...

Virtual mobile service provider

US Pat. 7209734 - Filed Jun 30, 2004 - Oracle International Corporation

By way of example, mobile services may include **messaging** services (eg, ... email, instant **messaging**), abstract multi-channel **messaging**, **actionable** ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[My Account](#) | [Sign out](#)

action message identifier

[Search Patents](#)[Advanced Patent Search](#)
Google Patent Search

Patents

Patents 31 - 40 on **action message identifier**. (0.07 seconds)

Paging transceivers and methods for selectively erasing information

US Pat. 6087956 - Filed Sep 19, 1997

31 **message** control means for performing an **action** on the **message** in ... call signal comprising a **message identifier** signal identifying a **message** that is ...

Method and apparatus for reducing redundant multiple recipient **message** ...

US Pat. 6609156 - Filed Dec 29, 1999 - Unisys Corporation

MTA 200 receives the **message identifier** and associates the received **message identifier** to the created processing **action** at block 348-8. ...

Dynamic determination of execution sequence

US Pat. 6505228 - Filed Jul 22, 1998 - Cisco Technology, Inc.

49 **action** to create a particular event or events; and when a ANI and its clients ... The **message identifier** indexes into the **message** file for the 3. ...

System and method for directed improvisation by computer controlled characters

US Pat. 6359622 - Filed Dec 17, 1999 - Extempo Systems, Inc.

The agent applica- **identifier** 108 and **action** type 122 are provided in **message** tion then selects a destination from the remaining destination 15 Packet 28° ...

Point of presence (POP) for digital facsimile network with spoofing ...

US Pat. 5828468 - Filed May 17, 1996 - NKO, Inc.

Message identifier (required)—this field contains a unique **identifier** for a **message** in the context of the current network connection, and indicates if the ...

Network management system and method using a partial response table

US Pat. 5892916 - Filed Dec 23, 1997

An **action message** requests that an **action** be performed at managed object 204. ... **Message** 300 further includes payload 318 comprising **identifier** (ID) and ...

Method and apparatus for maintaining a unified view of multiple mailboxes

US Pat. 6360272 - Filed May 28, 1999 - Palm, Inc.

Thus, upon receiving the third **message** with the **action**, the **message** on the handheld client with that **identifier** will have its status set to read. ...

Automatic electronic messaging system with feedback and work flow administration

US Pat. 5627764 - Filed Jun 9, 1993 - Banyan Systems, Inc.

7 8 new **message**. A **message identifier** or unique **identifier** to get noticed. ... system filing base which contains an **action** or sequence of actions to be ...

Method of handling asynchronous events

US Pat. 7225447 - Filed Sep 5, 2002 - Canon Kabushiki Kaisha

As described above, the **message** includes a **message identifier** and an interface ... The **action message** results in a change in the menu screen, for example, ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[My Account](#) | [Sign out](#)

selections actions services message

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 21 - 30 on **selections actions services message** (0.40 seconds)**Interactive two-way pager systems** [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 5838252 - Filed Sep 9, 1996 - Datalink Systems, Inc.

Many **message services** have been developed and are made available in various ...
pager abilities wherein ongoing rounds of interactive **selections** may be made ...**Cellular telephone network support of audible information delivery to ...**

US Pat. 5950123 - Filed Aug 26, 1996 - Telefonaktiebolaget L M

The voice synthesizer 64 receives textual data messages from the 2o processor
59 (comprising for example received short **message service messages**), ...**Data transfer server**

US Pat. 6721795 - Filed Apr 26, 1999 - America Online, Inc.

The selection server of claim 13 wherein the multiple means for receiving a
trigger **message** at the server; different types of **actions** comprises incrementing ...**System and method for developing and processing automatic response unit (ARU ...**

US Pat. 6314164 - Filed Oct 1, 1999 - MCI Communications Corporation

In typical operation, the tree structure of an ARU service offering 102 is
traversed according to a caller's menu **selections**. For example, the caller enters ...**Automatic software production system**

US Pat. 6681383 - Filed Apr 4, 2000 - Sosy, Inc.

Services can be of two types: events and transactions. ... **Actions** may have
preconditions and the corresponding error **message** (to be displayed if the ...**Communication network terminal supporting a plurality of applications**

US Pat. 6400958 - Filed Oct 30, 1998 - Nokia Mobile Phones Limited

The **actions** can be for example of the type action-send-**message** or action-call-
... This would allow more possibilities for **services** and quicker and more ...**Method and apparatus for providing a service in a switched ...**

US Pat. 5949871 - Filed Feb 20, 1997 - Hewlett-Packard Company

In particular, the **message** interceptor described with reference to FIGS. 13 to
15 can be used to implement many different **services**. ...**Interactive online tutorial system for software products**

US Pat. 5535422 - Filed Oct 20, 1994 - International Business Machines Corporation

The Standard **Services** pull-down menu utilized by the tutorial system ...The **message** number is '6666' and the sequence of **actions** is Esc, then Shift+Tab. ...**Answer supervision and service selection**

US Pat. 5265157 - Filed Oct 16, 1990 - International Business Machines Corporation

If the trans- The subject invention provides a means for voice 10 mg a **message** (prompt)
or transferring the call as deter- cesser equipment has answered. ...